


# **The Remote Sensing of Tropospheric Composition from Space**

Editors:

John P. Burrows  
Ulrich Platt  
Peter Borrell

*Pages 539 to 549*



## **Index**

Publisher: Springer Verlag, Heidelberg

[Springer Book Web Page](#)

[Springer on line Page for the Book](#)

ISBN 978-3-642-14790-6

DOI 10.1007/978-3-642-14791-3

**February 2011**



# Index

*A list of satellite instruments is given in Appendix A.*

*A full list of abbreviations and acronyms is given in Appendix C.*

*A list of chemical names and molecular formulae is given on page xxxi.*

## A

### AATSR

- aerosol retrieval algorithm, 263–266
- cloud brightness measurements, 235
- data products, 264, 279
- retrieval of aerosol properties, 269, 279–282

Absorption linewidth, 36–37

Absorption of radiation, 26, 29, 40, 42, 51

ACCENT, 10

ACE, CO seasonal measurements, 136–138

ACE-FTS, mission example, 135–137

Acetone ( $\text{CH}_3\text{COCH}_3$ ), tropospheric studies, 391

Acetylene ( $\text{C}_2\text{H}_2$ ), tropospheric studies, 391

Acid deposition, 19, 21–22

Acid rain, 21

Active microwave techniques,  
introduction, 195

Active systems perspectives, 507

ADEOS, 9

### Aerosol

- air quality role, 261
- climate role, 261
- data assimilation example, 478–480
- model comparison, 455, 460–467
- optical parameters, 266–269
- over land
  - MODIS, 284
  - POLDER, 278–279
  - retrieval, flow chart, 286
- over ocean
  - MODIS, 283–284
  - POLDER, 277–278
  - retrieval, flow chart, 285
  - scattering from, 42, 48
  - validation needs, 343–344

Aerosol-cloud interactions, use of satellites,  
301–303

Aerosol direct radiative forcing

- global averages, 298
- global maps, 298
- model comparison, 300–301
- uncertainties, 299–301

Aerosol optical depth (AOD)

- AATSR compared with AERONET, 282
- comparison of ozone monitoring instrument  
OMI and OMAERO, 303
- estimated uncertainty, 344
- Eyjafjallajoeull, 499
- global from MODIS, 284, 287
- to estimate  $\text{PM}_{2.5}$ , 294

Aerosol parameters, 498–500

Aerosol products, intercomparison, 304

Aerosol properties

- current instrumentation, 264
- databases, 269–270
- description, 260
- from MERIS, 289–291
- from OMI, 284–289
- history of observations, 261
- instruments for retrieval, 270–271
- lidar, impact of, 262
- multi-wavelength algorithm, 287–288
- operational prediction, 417
- retrieval algorithms, 262, 264–266, 270,  
272, 275, 278, 280–281, 283, 305
- validation, 292

Africa

- biomass burning, HCHO, 378–379
- CALIOP observations, 273
- $\text{CH}_4$  enhancement, 385

Air mass factor (AMF)

- 2-D and 3-D box, 97–98
- box, 92–97
- total, 91–92

- Air pollution, 3, 11, 17–20, 25  
 impact, model evaluation, 455
- Air quality, 2, 14, 19–20, 60  
 importance of NO<sub>x</sub>, 368  
 monitoring with satellites, 417
- Airborne platforms  
 measurements for validation, 349
- AIRS, 9, 518  
 CO<sub>2</sub> transport, 142–143
- Alaska, forest fires, 376, 380
- Albedo  
 Earth's surface, 72, 85, 89, 91, 93–94, 96,  
 98, 99, 105, 106, 109, 111  
 white & black sky, 89
- Algorithm development prospects, 502–503
- Ammonia. *See* NH<sub>3</sub>
- AMSR-E, 213
- AMSU-A, 167, 176, 178–181, 183–185,  
 206, 213
- AMSU-B, 167, 173, 176, 178, 181, 184,  
 185, 213
- Annual variability, O<sub>3</sub>, 367
- Antarctica, IO measurements, 388
- Anthropocene, 16, 18, 493, 512
- Arctic  
 BrO spatial extent, 387  
 forest fires, 376
- Asian pollution event, CO tracer, 405
- AT2, 10
- ATM model, brightness temperatures,  
 168, 169
- Atmosphere  
 physical structure, 11–13  
 pressure variation with altitude, 11, 12  
 temperature variation with altitude, 11, 12
- Atmospheric circulation, monitoring with  
 tracers, 404
- Atmospheric composition  
 long term observations, 24  
 regional and episodic studies, 25  
 role of measurements, 24
- Atmospheric profiles  
 H<sub>2</sub>O vapour, 164–166  
 temperature, 164–166
- Atmospheric radiative transfer, 42, 46–49
- Averaging kernels, derived from AMF, 95–97
- B**
- Bayesian techniques, 161, 162, 173, 202
- Beer-Lambert law, 40, 49, 73–76, 84, 92
- Best Linear Unbiased Estimate (BLUE),  
 473–474
- Biomass burning, 14, 19–21, 45,  
 495–497, 504
- CO measurements, 371, 374, 376, 412  
 glyoxal observations, 379–380  
 HCHO detection, 378–379  
 NO<sub>x</sub>, 368
- Bouguer-Lambert law, 40
- BAER  
 aerosol retrieval, 289  
 flow chart, 285, 286
- Brightness temperatures  
 observations, 170  
 simulation, 169
- BrO  
 estimated uncertainty, 318  
 from volcanoes, 382, 387  
 global map, 399, 403  
 in polar regions, 387, 410  
 in volcanic emissions, 386  
 mechanism of release, 387, 410  
 tropospheric studies, 396
- Bromine monoxide. *See* BrO
- C**
- Calibration  
 definition, 319
- CALIPSO  
 aerosol cloud interactions, 263, 264,  
 301–303, 305  
 aerosol retrieval, 264  
 cirrus cloud heights, 252  
 cloud retrieval, 265  
 instrument payload, 275
- CALIOP  
 cloud height determination, 252  
 data calibration, 273–274  
 data products, 274–275, 277  
 extinction retrieval procedure,  
 275–276  
 west-central Africa, 273
- Carbon dioxide. *See* CO<sub>2</sub>
- Carbon monoxide. *See* CO
- CarbonTracker system, 475
- Cell correlation radiometry, 127
- Central Asia, forest fires, 376
- CFC, 17, 22–24, 27  
 fate in the troposphere, 17, 23
- CFC-11, 12, 113, tropospheric studies, 398
- CH<sub>4</sub>  
 estimated uncertainty, 317  
 global map, 402  
 inverse modelling, 471–472  
 regional enhancements, 385  
 tropospheric studies, 394
- Chemical weather, 417
- Chemical weather satellites, 512

- China
  - CH<sub>4</sub> enhancement, 385
  - CO measurements, 372, 374
  - NH<sub>3</sub> concentrations, 382
  - NO<sub>2</sub> monthly averages, 369
- Chlorofluorocarbons. *See* CFC
- Climate change, 2, 3, 18–20, 22, 23, 47
  - aerosol direct radiative forcing, 297–301
  - operational monitoring, 416
- Climate change gases, 495–496
- Cloud cover, 232–234
- Cloud droplets
  - effective radius, 232, 238–243
- Cloud ice
  - Aura observations, 190
  - H<sub>2</sub>O content, definition, 168
  - H<sub>2</sub>O retrieval, 172–174
- Cloud liquid water
  - definition, 168
  - retrieval, 170–172
- Cloud parameters, 498–500, 503, 504, 507
  - needed accuracy for validation, 342
- Cloud phase, 235–237, 246, 249, 253
- Cloud products, 232, 237, 244
  - validation, 247–249
- Cloud profiling
  - MODIS and CloudSat 196–197
  - radar (CPR), 197–198
- Cloud remote sensing
  - hyperspectral remote sensing, 249–251
  - lidar remote sensing, 251–252
  - modern trends, 232, 249–253
- Cloud screening, aerosol retrieval, 265
- Cloud slicing, 102, 104
- Cloud top height
  - CO<sub>2</sub> slicing techniques, 245
  - stereoscopic method, 245
  - thermal IR measurements, 247
  - validation, 232, 249
- Clouds
  - aerosol interactions, 263, 264, 301–303, 305
  - brightness temperature, 235
  - effect on Box AMF, 92–95
  - future missions, 252–253
  - ice path, 243–244
  - liquid water path, 243–244, 249, 253
  - microwave remote sensing, 167–170
  - observational history, 251
  - optical thickness, 231, 233, 237–240, 244, 246, 249, 250, 253
  - parameters, 232–247, 253, 254
  - reflection function, 238, 240, 241, 244, 246
- CloudSat
  - intersection with MODIS, 199
  - mission, 196–197
  - radar, 196
- CO
  - ACE seasonal measurements, 136–138
  - biomass burning, 371, 402
  - boundary layer residual, 415
  - emission estimates, 375
  - emissions, anthropogenic, 471–472
  - estimated uncertainty, 317
  - global emission estimates, 375
  - global map, 400
  - global measurements, 372
  - hemispheric transport, 374
  - in situ* validation measurements, 317
  - inverse modelling, 471–472
  - long-range transport, 373, 374, 405
  - microwave observations, 191
  - model comparison, 471–472
  - model comparison for MOPITT, 464–465
  - model performance, 377–378
  - MOPITT global distribution, 141–142
  - SCIAMACHY/MOPITT comparison, 327, 338, 339
  - SCIAMACHY/OMI comparison, 337
  - seasonal variation, 373
  - transport phenomena, 373–374
  - tropospheric studies, 393
  - upper troposphere, Aura, 191–193
  - validation strategy, 357
- CO<sub>2</sub>
  - AIRS transport, 142–143
  - estimated uncertainty, 318
  - fate in the troposphere, 16
  - global, 384
  - global map, 402
  - ocean and atmosphere, 16–17
  - periodic pattern, 410
  - tropospheric columns, 384
  - tropospheric studies, 394
- Coherent radiation, 30, 44
- Column density maps,
  - proxy for emissions, 399–404
- CEOS, 494
- Cryosphere, 14, 16
- D**
  - Data analysis, UV/vis/NIR
    - desirable improvements, 73, 75, 113

- Data assimilation
  - 4d-var, 471–472, 474, 478–480
  - aerosol, 478
  - BLUE, 473–474
  - GPS results for Mediterranean, 210–211
  - in operational meteorology, 176–184
  - Kalman filter, 474
  - microwave radiative transfer in, 179–181
  - NO<sub>2</sub> example, 474, 478
  - O<sub>3</sub> example, 475
  - objectives & approaches, 473–475
- Data centres
  - for validation, 354
- Data comparison
  - data analysis, 320, 325–328
  - finding collocated data, 320–321
  - horizontal representation, 323–324
  - selection and filtering, 320–322
  - time differences, 323
  - vertical representation, 322–323
- Data quality and validation. *See* validation
- Databases, spectroscopic
  - HITRAN, GEISA, 126, 130
- Department of Defense (DOD), 6
- DIAL technique, 53, 57
- Dipole moment, 32, 33
- DOAS, 7, 26, 50
- DOAS retrievals
  - advanced concepts, 83–85
  - considerations, 80–83
  - origin, 69
  - Ring effect, 81–82
  - surface reflectivity, 83
- Dominant chemical pathways,
  - determination, 459–460
- Doppler effect, thermal, 126
- E**
- Earth observation
  - and remote sensing, 3–4
  - targets, 4
- Earth shine, 72
- Earth spectrum, 72
- Earth's atmosphere, thermal emission, 141
- ECMWF, 502
- El Nino, H<sub>2</sub>O transport, 386
- Elastic scattering, 29, 43
- Electromagnetic spectrum, diagram, 29
- Emission of radiation, 30, 42
- Emissions
  - CO estimates, 375
  - column density maps as a proxy, 399–404
  - constraining budgets, NO<sub>2</sub>, 369
  - global, CO, 375
  - global, NO<sub>2</sub>, 370
  - lightning NO<sub>x</sub>, 368, 399
  - NH<sub>3</sub>, 382
  - power plants NO<sub>x</sub>, 368
  - shipping NO<sub>x</sub>, 368
  - SO<sub>2</sub>, 380, 388, 416
  - soil NO<sub>x</sub>, 369, 399, 410
  - trends, NO<sub>2</sub>, 369
  - tropical, CH<sub>4</sub>, 385
- Energy levels, rotational-vibrational, 125
- Environmental Policy, 17–19
- ENVISAT, 72, 135, 137, 139, 507
- ERA-40
  - development, 1957 to 2002, 180
- ERA-Interim
  - GPSRO impact, 206
- ESA, 502, 507–509
- Ethene (C<sub>2</sub>H<sub>4</sub>), tropospheric studies, 396
- Ethane (C<sub>2</sub>H<sub>6</sub>), tropospheric studies, 396
- Etna smoke plume, volcanic emissions,
  - 49, 50
- Ethyne (C<sub>2</sub>H<sub>2</sub>), tropospheric studies, 396
- EUMETSAT, 502, 507–509, 512
- EURAD, NO<sub>2</sub> comparison, 477
- ELDO, 6
- EUMETSAT, 7, 10
- ESA, 6–10, 59
- ESRO, 6
- EUROTRAC, 10
- Eyjafjallajoeull volcano, 499
- F**
- Fires
  - CO measurements, 376–377
  - forest, NO<sub>2</sub> and HCHO, 370–371
  - NH<sub>3</sub> emissions, 382
  - environmental issue, 20–21
- Formaldehyde. *See* HCHO
- Formic acid (HCOOH)
  - tropospheric studies, 397
- Forward radiative transfer
  - thermal IR, 130–131
- FTIR
  - in situ* technique for validation, 357
  - use of data in validation, 352
- Fourier transform spectroscopy
  - grating spectrometry, 127, 128
- Frank-Condon principle, 34, 35
- Fraunhofer spectrum
  - effect in DOAS retrievals,
    - 80–81
- Free radical reactions, 14–16
- Full width at half maximum (FWHM), 37, 38

**G**

- GEO, 494
  - GEO, combination with LEO, 501
  - GEOS-Chem, comparison with MOPITT, 453
  - GEOSS, 2, 7, 694
  - Geostationary instruments
    - GeoFIS initiative, 509
    - GeoSCIA initiative, 509
    - GeoTROPE initiative, 509
    - GeoTropSat initiative, 508, 509
    - perspectives, 505–507
    - need for, 417
  - GLAS, cloud laser studies, 252
  - Glyoxal (CHOCHO)
    - annual mean concentration, 379–380
    - estimated uncertainty, 317
    - global map, 401
    - global mean distribution, 457–458
    - source apportionment, 457–459
    - tropospheric studies, 379–380
  - GMES, 7, 60
  - GOME, 8–10, 53, 58–60, 517
    - cloud top height determination, 250, 253
    - retrieval example, 111–113
  - GOME-2
    - effect of improved resolution, 113–115
    - validation activities, 354
  - GOSAT
    - FTS cloud measurements, 235
  - GPS
    - data availability, 205–207
    - European ground based network, 209
    - ground based observations, 207–209
    - measuring atmospheric parameters, 204–211
    - radio occultation, 204–205
  - GPSRO
    - impact on ERA-Interim, 206
    - measurement technique, 204
  - Greece, NH<sub>3</sub> emissions from fires, 382
  - Greenhouse gases
    - fate in the troposphere, 17
    - proposed mission, 509
- H**
- H<sub>2</sub>O
    - Aura observations, 192
    - estimated uncertainty, 318
    - global map, 399, 402
    - GPS ground based observations, 207–209
    - hydrological parameters, 498
    - ice, cross sections, 159
    - isotope studies, 386
    - liquid, cross sections, 159
    - microwave observations, 189
    - refractive index for liquid and ice, 158
    - trends in precipitable, 386
    - tropospheric studies, 395
  - H<sub>2</sub>O<sub>2</sub>, tropospheric studies, 397
  - HCFC-142b, tropospheric studies, 396
  - HCFC-22, tropospheric studies, 396
  - HCHO
    - annual mean concentration, 379
    - biomass burning, Africa, 377
    - column ratio with NO<sub>2</sub>, 414
    - estimated uncertainty, 317
    - global distribution, 378–379
    - global map, 399, 401
    - Indian Ocean, GOME and EMAC, 456–457
    - proxy for isoprene, 378, 401
    - proxy for VOC emissions, 456–457
    - ship track observation, 378
    - tropospheric studies, 395
  - HCl, tropospheric studies, 397
  - HCN, 376, 397, 398
  - HDO, tropospheric studies, 397
  - HIRDLS, O<sub>3</sub> tropospheric intrusion, 140
  - HNO<sub>3</sub>, tropospheric studies, 397
  - Holocene, 493
  - Horizontal distribution
    - process impacts, 336–338
  - Hyper-spectral measurement perspectives, 506

**I**

- IASI, 10, 53, 58
  - atmospheric radiance spectrum, 140, 144–145
  - SO<sub>2</sub> global, 145
- IGACO, 494, 509
  - global observations, 416
- IGOS, 2, 494, 509, 512
- India, CO measurements, 371–372
- Indian Ocean
  - ship tracks, HCHO, 378
  - ship tracks, NO<sub>2</sub>, 390
- Indonesia, forest fires, 376, 377
- Industrial emissions, 496–497
- Instrument degradation
  - quality assurance, 333–334
- Instrument technology perspectives, 505–507
- Instrumentation, idealised requirements, 504–505
- Inverse modelling
  - CO & CH<sub>4</sub>, 471–472
  - future needs, 454, 472–473
  - principles, 454, 467–473
  - short-lived species, 467–470

## IO

- Antarctica, 388
- global map, 399, 403
- mechanism of formation, 388–389
- tropospheric studies, 396
- UV-vis spectrum, 52–53

## IPCC, 18, 19, 22

- assessment, 494

IR, near. *see* UV/vis/NIR

## IR, thermal, 123–147

## Isoprene, HCHO proxy, 378, 401

## J

## Japan, CO measurements, 372

## JAXA, 7, 9

## K

## Korea, forest fires, 376

## L

## Lagrangian point satellite, 510

## Lambert-Beer law, 41

## Lapse rate, 11

## LEO, 58–60

## Lidar

- differential absorption (DIAL), 53, 57
- in situ* technique for validation, 342–344
- principle, 55, 56

Lightning, compared with NO<sub>2</sub>, 412

## Limb view, 54–55, 101

## Line broadening, 35–37, 125

## Lorentz profile, 125–126

## LOWTRAN, 45

## LRTAP, 19, 20

## M

## Mars, atmosphere, 11

## Mauna Loa observations, 24

## MAXDOAS

- in situ* technique for validation, 350, 351

## Measurement sensitivity, characterisation, 91–98

## Mediterranean, HCHO tracer, 378

## MERIS

- aerosol products from, 304
- cloud top height determination, 248

## Mesosphere, 5, 11–13

Methane. *See* CH<sub>4</sub>

## Methanol, tropospheric studies, 394

## Methyl chloride, tropospheric studies, 397

## MetOp satellite mission, 174, 507

## Mexico City, CO measurements, 372

## Microwave measurement perspectives, 506

- Mie scattering, 74, 77, 79, 81, 88
- polarised phase function, 44–45

## MIPAS

- infrared spectral coverage, 139
- spectral bands, 137

## Missions

- need for future, 507
- satellite, current and future, 507–510

## MLS, 9, 187, 193, 214, 518

- cloud ice and H<sub>2</sub>O vapour, 190
- limb sounding observations, 191

## Model evaluation

- aerosol, 461
- CO, 464–465
- CO comparison with MOPITT, 373–374, 377–378
- comparison with observation, 461–467
- NO<sub>2</sub>, 462–464
- use of satellite data, 463

## Modelling

- collocation of grid boxes and pixels, 452
- introduction, 451–454
- inverse. *see* inverse modelling
- perspectives, 481
- understanding atmospheric chemistry, 455–461

## Models, differences to retrievals, 460–461

## MODIS

- aerosol cloud interactions, 264, 301–303, 305
- aerosol over the land, 284
- aerosol over the ocean, 283–284
- AOD-PM<sub>2.5</sub> relationship, 296–297
- cloud ice fraction, 236
- cloud liquid water path, 253
- cloud optical thicknesses, 238–240, 244, 253
- cloud top height determination, 245, 248, 250, 253
- cloud top pressure, 245, 247
- cloud water droplets and ice crystals, 242
- global AOD, 287, 288, 305
- monthly cloud fraction, 233, 234, 236

## Molecular energy levels

- rotational, 31–32
- vibrational, 32–33

## Molecular energy states

- electronic, 34
- populations, 34–35
- rovibronic states, 33

## Molecular spectra, 35–40



- Mongolia, NH<sub>3</sub> emissions from fires, 382
- Montreal Protocol, 18
- MOPITT, 9, 53, 519
- CO global distribution, 141–142
  - comparison with GEOS-Chem, 453
  - SCIAMACHY CO comparison, 327, 330, 338, 339
  - validation activities, 354
- Multi-instrument measurements
- perspectives, 506
- Multi-platform observations, 414–416
- Multiple observations prospects, 503
- N**
- N<sub>2</sub>O
- estimated uncertainty, 318
  - N<sub>2</sub>O, tropospheric studies, 393
- Nadir looking instruments, 141–144
- Nadir view, 8, 9, 53–54, 59, 70, 73, 75, 86, 89, 93, 94
- NASA, 6–10, 23
- Netherlands
- AOD to estimate PM<sub>2.5</sub>, 290–293
  - PM<sub>2.5</sub> map, 297
- Networks
- aeroplane, 346
  - balloon, 346
  - ground based, 345
  - ground, for validation, 331
- Neural networks
- Thermal IR, 133–134
  - UV/vis, 105
- NH<sub>3</sub>, tropospheric studies, 393
- Nitric acid. *See* HNO<sub>3</sub>
- Nitrogen dioxide. *See* NO<sub>2</sub>
- Nitrogen oxides. *See* NO<sub>x</sub>
- Nitrous oxide. *See* N<sub>2</sub>O
- NO<sub>2</sub>
- column ratio with HCHO, 414
  - comparative monthly averages, 369
  - compared with lightning
  - comparison with EURAD, 477
  - data analysis example, 111–113
  - data assimilation example, 474, 478
  - effect of improved resolution, 112–113
  - emission rates, summer, 468
  - estimated uncertainty, 317
  - global emissions, 370
  - global map, 399–400
  - global transport, 370
  - GOME validation, 322
  - in situ* validation measurements, 356
  - in situ* validation techniques, 323, 324, 337, 350
  - MAXDOAS validation, 351, 356
  - model comparison, 462
  - model comparison for GOME, 462–463
  - model comparison for SCIAMACHY, 464
  - monthly averages, 326
  - monthly maximum, 410
  - North Atlantic transport, 370, 406
  - NO<sub>2</sub>, multiple roles, 496
  - retrieval example, 111–113
  - role in O<sub>3</sub> budgets, 370
  - SCIAMACHY/OMI comparison, 329, 337
  - trends, 369, 408
  - Tri-cities column density, 326
  - tropospheric studies, 392
  - validation strategy, 355–356
  - weekly cycle, 368, 410–411
- NOAA, 6, 8, 50
- North America, CO<sub>2</sub> observations, 384
- North Atlantic, transport of NO<sub>2</sub>, 370, 406
- NO<sub>x</sub>
- air quality, 368
  - biomass burning, 368, 399, 412
  - emissions, 368–369, 408
  - sources and sinks, 368
- NPOESS, 507, 512
- NWP, 508, 509, 512, 513
- O**
- O<sub>2</sub> A-band spectrometry
- cloud height determination, 248
  - cloud top height, 248
- O<sub>2</sub>, UV spectra, 13
- O<sub>3</sub>
- annual variability, 367
  - budget, role of NO<sub>2</sub>, 13
  - Chappuis Bands, 104
  - data assimilation example, 475–476
  - estimated uncertainty, 317
  - global distribution, 367
  - global map, 400
  - Hartley Bands, 68, 83
  - highlights, 495
  - Huggins Bands, 70
  - in situ* validation measurements, 346–348
  - ozone assessments, 18
  - ozone hole, 17, 23, 25, 70
  - production and loss, 13
  - stratospheric depletion, 19, 22–23
  - tropical Atlantic, TES, 143–144
  - tropical columns, 367

- O<sub>3</sub>** (*cont.*)  
 tropospheric, 366–368, 378, 401, 403, 406, 408, 412  
 tropospheric and air quality, 19–20  
 tropospheric intrusion, HIRDLS, 140  
 tropospheric studies, 392  
 validation strategy, 355
- Observation techniques, *in-situ*, 25–26
- Occultation, 8, 10, 55, 71, 73, 86
- Occultation instruments, limb and solar, 135–140
- OCS, tropospheric studies, 396
- OH, a free radical, 14
- OMAERUV  
 data product from OMI, 285, 303  
 data product status, 288–289
- OMI, 9, 53, 58, 519  
 aerosol cloud interactions, 264  
 aerosol products from, 270, 284–287  
 data assimilation of NO<sub>2</sub>, 477  
 effect of improved resolution, 113  
 SCIAMACHY CO comparison, 339  
 validation activities, 354
- Operational use of satellite instruments, 416–417
- Operator dilemma, 24
- Optimal estimation (OE) formalism, 131–133
- Orbits  
 GEO, 60  
 LEO, 58–60  
 polar, 57–59  
 satellite, 57–58, 60  
 sun-synchronous polar, 58, 59
- Ozone. *See* O<sub>3</sub>
- P**
- PAN, 16  
 tropospheric studies, 396
- PARASOL  
 aerosol cloud interactions, 302
- Particle scattering, 74, 88
- Peroxy nitric acid, tropospheric studies, 397
- Persistent organic pollutants (POPs), 18, 19, 21
- Photochemistry, fast *in-situ* investigation, 25
- Planck's law, 123–126
- PM10, data assimilation with SYNAER, 479–480
- PM2.5, AOD estimate in the Netherlands, 292–293
- Polarisation measurement perspectives, 505–506
- POLDER**  
 aerosol over land, 278–279  
 aerosol over the ocean, 277–278
- Population, growth of human, 18
- Profiles, synergistic approaches, 413–414
- Q**
- Quality assurance  
 algorithm optimisation, 333  
 calibration, 331–332  
 instrument degradation, 333–334  
 lower level products, 332–333  
 quality monitoring, 334–335  
 validation and mission planning, 331
- R**
- Radiation, interaction with matter, 28, 30, 40, 44
- Radiative transfer modelling  
 input data, 98–99  
 molecular absorption processes, 90  
 molecular scattering, 86–88  
 overview of models, 99–101  
 surface reflection and absorption, 89  
 to interpret observations, 86–90
- Raman scattering, 30–31, 44
- Rayleigh scattering, 29, 30, 43–46, 48, 74, 81, 82, 86–88, 90, 91, 93, 105
- Reflectivity, ground cover and river water, 50, 51
- Refractive index, complex, definition, 260
- Remote sensing  
 active techniques, 55–57  
 and Earth observation, 3–5  
 back scattered solar radiation, 5, 7–9  
 definition, 1  
 from space, 1–60  
 historical milestones, 6–7  
 images and spectroscopy, 49–57  
 limb view, 54–55  
 nadir view, 53  
 nadir, limb and occultation, 53–55  
 occultation, 55  
 of the troposphere from space, 2, 8  
 passive and active, 4, 31, 53, 54  
 passive techniques, 4, 7  
 perspectives, 505–507  
 scientific highlights, 495  
 scientific needs, 500–501  
 techniques, *versus in situ*, 26–27  
 thermal IR, 9–10  
 validation observations from the ground, 349–353

- Retrieval of satellite data, desirable
  - improvements, 113–114, 412
  - discrete wavelength techniques, 76–78
  - examples, 111–113
  - separating different effects, 76–77
  - separation of stratospheric signal, 101–102
  - synergistic approaches, 412
  - differences to models, 460–461
- Russian forest, fires, 370
- S
- SAGE, 8
- Satellite instruments, desirable developments, 113–114
- Satellite instruments, synopsis, 110–111
- Satellite observations, needs, 493–495
  - applications, 365–418
  - what can we learn?, 399–417
  - examples, 111–113
  - history, 110–111
  - synergistic use of complementary, 115
  - viewing geometries, 70–73
- Satellite orbits, 57–60
- SBUV, 7, 8, 23, 53, 70, 71, 102, 110, 520
- Scattering, atmospheric, 42–49
  - elastic, 29, 30, 43
  - inelastic, 31, 44
- SCIAMACHY, 8, 10, 53, 55,
  - 58, 60, 72, 73, 78, 80, 103, 106,
  - 110, 111, 115, 520
  - cloud phase index measurements, 235
  - cloud top height determination, 248
  - data assimilation of NO<sub>2</sub>, 478
  - MOPITT CO comparison, 327, 330,
  - 338, 339
  - OMI CO comparison, 339
  - validation activities, 352
- Scientific highlights, 495
- Scientific needs, 500–501
- SE Asia
  - forest fires, 376
  - HCHO detection, 378
- SEVIRI
  - aerosol cloud interactions, 302
- SF<sub>6</sub>, tropospheric studies, 398
- Ship tracks
  - HCHO, Indian Ocean, 378
  - NO<sub>2</sub>, Indian Ocean, 370
- Siberia
  - NH<sub>3</sub> emissions from fires, 382
  - NO<sub>2</sub> and HCHO from fires, 370–371
- Slant column density, 73, 75, 77, 84, 91, 93,
  - 101, 106, 111, 113
- Smog
  - photochemical, 16–18
  - summer (*See* Smog, photochemical)
  - winter, 17
- SO<sub>2</sub>
  - estimated uncertainty, 318
  - from Soufriere Hills volcano, 399, 404,
  - 405, 416
  - global map, 399
  - IASI global, 145
  - industrial emissions, 380–382
  - long-range transport, 382
  - tropospheric studies, 380–382
  - volcanic emissions, 381
- SOA, role of glyoxal, 379
- Solar spectrum, GOME, 72
- Source identification, synergistic approaches, 412–413
- South America
  - CH<sub>4</sub> enhancement, 385
  - SO<sub>2</sub> from volcanoes and smelters, 404
- Space agencies
  - Canadian, 7
  - Chinese, 7
  - European (ESA), 6, 7
  - Indian, 7
  - Japanese (JAXA), 7
  - Korean, 7
  - United States (NASA), 6
  - USA, 6, 7
- Spectral line broadening mechanism, 39
- Spectral line shape
  - Doppler, 35, 37–38, 40
  - in different ranges, 39
  - Lorentzian, 37, 39
- Spectral linewidth
  - doppler broadening, 37–40, 52
  - natural, 37
  - pressure broadening, 37–39, 52
- Spectral retrieval, DOAS type, 78–80
- Spectroscopic techniques
  - IR, 52
  - microwave, 51–52
  - UV/vis/IR, 52–53
  - for chemical analysis, 40–42
- Spectroscopy
  - absorption, 40–42
  - emission, 42
- Stefan-Boltzmann law, 124
- Stimulated emission of radiation, 30
- Stratosphere, 4, 8, 11–13, 15–17, 20, 23, 24, 52
- Stratospheric signal separation
  - cloud slicing, 104

- Stratospheric signal separation (*cont.*)  
 model method, 103–104  
 other approaches, 104–105  
 residual measurements, 103  
 stratospheric measurements, 102–103
- Stratospheric variability  
 causes, 338–340
- Sulfur budget, 380
- Sulfur dioxide. *See* SO<sub>2</sub>
- Summer smog. *See* Smog, photochemical
- Sun glint, 89, 90
- Sun photometers  
*in situ* instrument for validation, 353
- Sun synchronous polar orbit, 58, 59
- Surface reflection
- Surface reflection and absorption  
 albedo, 89  
 ocean surface interactions, 89–90
- Surface reflection, angular dependency, 89–90
- SYNAER, data assimilation for PM10, 479–480
- Synergistic use of satellites, 367, 413, 415
- T**
- TES, 10, 53, 58, 521  
 data comparison, 322  
 O<sub>3</sub> tropical Atlantic, 143–144  
 validation activities, 354
- Thermal IR  
 absorbing molecules, 135, 136  
 future plans, 145–147  
 history, 145–147  
 instruments and techniques, 127–128  
 physical principles, 123–127  
 products, 135–140  
 specificity, 129–134
- Thermosphere, 5, 11–13
- Tikhonov-Philips regularization, 133
- Tomographic reconstruction perspectives, 506
- TOMS, 8, 23, 53, 70, 71, 77, 78, 102, 110, 521
- Trace species, others measured from space, 366
- Transitions, allowed and forbidden, 34, 35
- Transpacific Asian pollution, comparing  
 MOPITT with GEOS, 453–454
- Transport  
 CO, 376  
 global, NO<sub>2</sub>, 370  
 hemispheric, CO, 370, 374–376  
 monitoring with tracers, 404
- Trends  
 CO<sub>2</sub>, 409  
 NO<sub>2</sub>, 369, 408, 417
- Tropical rain forest, CH<sub>4</sub> deviations, 385
- TROPOSAT, 10
- Troposphere  
 acid deposition, 19  
 and climate change, 19, 22, 23  
 biomass burning, 14, 19  
 chemistry, 11–23, 60  
 complex chemical interactions, 15, 16  
 composition, measurement need  
 environmental issues, 19  
 impact of stratospheric O<sub>3</sub> depletion,  
 22–23  
 O<sub>3</sub> and air quality, 19–20  
 POPs, 21
- Tropospheric chemistry, 11–23, 60
- Tropospheric composition  
 applications of satellite observations,  
 365–418  
 synergistic approaches, 416
- Tropospheric compounds, observed,  
 495–496
- Tropospheric intrusion of O<sub>3</sub>, 140
- Tropospheric photochemistry  
 role of halogen chemistry, 386
- Tropospheric trace gases  
 measured from space, 392
- U**
- Uncertainties in satellite measurements  
 instrument noise and stray light, 106–107  
 instrument slit width, 107  
 light path, 108–109  
 spectral interference, 107–108  
 spectroscopic uncertainties, 107  
 tropospheric/stratospheric separation,  
 109–110
- UNECE assessment, 494
- UNFCCC, 18, 22
- United Arab Emirates, AOD over, 282
- USA, forest fires, 376
- UV/vis/NIR  
 future developments, 113–115  
 historical background, 67–69  
 satellite observations, 70–73  
 species retrieved, 73–76  
 uncertainties in measurements, 105–110
- V**
- Validation  
 aerosol effects, 341–343  
 albedo effects, 341–343  
 characteristics of tropospheric products,  
 335–336  
 cloud effects, 341–343

- comparing data sets, 320–328
- data treatment, 322–325
- data variability, 329–330
- definitions, 319–320
- future strategies, 354–357
- introduction, 315–318
- methods, 348
- stratospheric gas effects, 338–341
- use of models, 328–329
- Venus, atmosphere, 11
- Vertical column density, 68, 75, 93, 97, 106, 113
- Vertical distributions of trace gases
  - determinants, 336
  - process impacts, 336–337
- Vienna Convention, 18
- Voigt profile, 126
- Volcanic emissions
  - particulate matter, 500
  - SO<sub>2</sub>, 500
- W**
- Wavenumber, definition, 28
- Whiskbroom scanning scheme, 59, 60, 110
- Wien's law, 124
- WMO assessment, 494

